





DRAINTUBE FOR SPORTS FIELD APPLICATIONS

A Low-cost and Environmentally Friendly Drainage Solution.

For many years, 150mm (6") of washed stone aggregates protected by two layers of geotextile have been considered as state of the art drainage solution for synthetic sports fields.

Today, **DRAINTUBE™** drainage geocomposite offers a better and more effective solution for drainage with the following advantages:

Significant cost reductions,

Simple installation,

Customised design options,

Improved performance,

A better environmental footprint through a significant reduction of GHG.

DRAINTUBE[™] the Drainage you want!

"Good sports fields need good drainage"



Comparison Between a Stone Aggregates Layer and the DRAINTUBE™

Tests were conducted to compare the hydraulic behavior of **DRAINTUBETM** with 150mm of clean stone aggregates under various gradient pressures and loads. The results indicate that **DRAINTUBETM** is equal in performance for a 0.01 gradient. Clean stone aggregates = **DRAINTUBETM** = 10^{-2} m³/s/m.



GEOTEXTILE

Substitution of the stone layer and geotexile

GEOTEXTILE



Performance Comparison

(Defargo-Sagéos bench test - January 2007)

Large scale rainfall bench tests were conducted in January 2007. The results indicate equivalent Flow Rate capacity under continuous flow. Hence, there is no saturation of the systems despite significant rainfall events.

Calculated Performance

(Using Lymphéa® Software)

The Lymphéa[®] software was developed in association with the University of Grenoble and le Laboratoire des Ponts et Chaussées (France) to calculate the requirements for **DRAINTUBE™** in civil applications. The performance of both systems was compared in a typical hydraulic conditions for standard sports applications.



Quality Control

Natural Resources

The variability of granular material is well-known. Even the same batch of material from the same location can be different. This type of inconsistency may not meet the drainage expectation and can impact the overall performance criteria.



Manufactured Resources

The quality of **DRAINTUBE™** is assured at the factory. The product ordered is the product delivered. Quality Assurance and Quality Control both are easier and more certian.



Cost Control

Natural Resources

Cost depends on how far the gravel pit is situated. The cost may also vary according to the availability of resources and the time of the year.



Manufactured Resources

Minimal transportation expenses means cost saving. With abundant resources, **DRAINTUBE™** is available throughout the year.

Environmental Balance (Sustainable Development)

Natural Resources

NON-RENEWABLE

The excavation and replacement of 150mm (6") of material over a 10,000 m² (108,000 ft²) area requires 240 trucks.



Manufactured Resources

RENEWABLE

The installation of 10,000 m² (108,000ft²) **DRAINTUBE™** requires only 1 truck.





Replacing 150 mm (6") of stone aggregates with **DRAINTUBETM** drainage geocomposite can :

SAVE 15% OR MORE ON THE COST OF BUILDING A GRANULAR FOUNDATION

REDUCE CONSTRUCTION DELAYS, SOCIAL DISRUPTIONS (TRAFFIC, NOISE, DUST)

SIGNIFICANTLY REDUCE GREENHOUSE GAS EMISSIONS



DRAINTUBE[™] OFFERS:

3 perforated pipes size options: 16, 20 and 25 mm 4 perforated pipe spacing options: 2 m, 1 m, 1/2 m, 1/4 m (80", 40", 20", 10") Multiple geotextile options Available transmissivity between 2.5 x 10⁻⁴ to 4 x 10⁻³ m²/s at i=0.1 No change in transmissivity up to 2500 kPa (50,000 psf) Low creep reduction factor No geotextile intrusion Standard roll size: 3.98 m x 75 m (13.1'x246') Faster and easier to install than other types of geocomposites, no tying required! Consistent QA/QC

Cost Optimisation



www.asia.geoquest-products.com | www.afitex.com | E: info.asia@geoquest-products.com

Neither this brochure/leaflet nor its text, illustrations, drawings or any part thereof, may be reproduced, stored in a retrieval system, photocopied, recorded or transmitted in any form, whether electronic or otherwise, without the consent of Geoquest and Afitex.

generated imagery and actual product may differ wholly or partially. The images are only for static representation of the actual product. Geoquest and Afitex Management cannot be held liable for any inaccuracies of description or illustration and reserve the right to change specifications without notification.

Descriptions and some illustrations contained in this catalogue are from computer

